

INDUSTRIAL ROBOTICS IN THE PALM OF YOUR HAND

MECA500

SAVE SPACE



Make optimal use of your confined space by using the Meca500, the 6-axis industrial robot with the smallest footprint and all-in-one design. Go compact.

IMPROVE QUALITY

Reliably automate micropositioning tasks and delicate manipulations thanks to Meca500's unrivaled precision and accuracy. Choose perfection.


GAIN CONTROL

Integrate the Meca500 into your system or production line without hassle, thanks to the robot's simple but powerful connectivity. Embrace usability.



optional, fully-integrated end-of-arm-tooling





TECHNICAL SPECIFICATIONS

Payload	0.5 kg
Repeatability	0.005 mm
Reach (at wrist center)	260 mm
Total weight	4.5 kg
Range of joint 1	-175° to +175°
Range of joint 2	-70° to +90°
Range of joint 3	-135° to +70°
Range of joint 4	-170° to +170°
Range of joint 5	-115° to +115°
Range of joint 6	±100 revolutions
Speed of joints 1-6	{150, 150, 180, 300, 300, 500} %/s
Brakes	on joints 1, 2 and 3
Robot mounting	any orientation
Safety module	Category 3, PL d
Power supply	90-264 VAC, 50-60 Hz (in) / 24 VDC (out)
Communication	TCP/IP, EtherCAT, Ethernet/IP
Controller	embedded in robot base
Protection rating	IP 40

Disclaimer: Specifications of the product do not constitute a warranty of the properties. They are intended for information purposes only and are subject to change.



Sold & Serviced By:

 **ELECTROMATE**

Toll Free Phone (877) SERV098

www.electromate.com

sales@electromate.com

115 mm